

# Wall Pack - Medium

Making green brighter.™



### Specifications:

- Power Source:** 120 / 277 VAC @ 60 Hz
- Rated Power:** 22 Watts
- Equivalent:** 70 Watt HPS; 150 Watt HID
- Power Factor:** > .9
- Luminaire Efficiency:** > 85%
- Luminaire Efficacy:** 48 Lumens/Watt
- Operating Temperature:** -20° C to 70° C
- Color Temperature Available:** 6200°K
- Size:** 13" L x 9" H x 7.25" D
- Fixture:** Die Cast Aluminum Body, Borosilicate Glass
- Rated Life:** > 50,000 hours
- Compliance:** FCC Part 15, Subpart B, Class B;  
IEEE C62.41.2  
Certified Test Lab Reports available

### Features:

- 5 Year Warranty, plus Optional 5-yr extension
- Made in USA
- Patent Pending
- Water-resistant/Wind-resistant
- Environmentally Friendly, Contains No Mercury

### Ordering Information:

Model	Series	Lumen	Voltage	Photo Eye
WP1	GP	1045		
			1 - 120V 2 - 277V	1 - NPE 2 - WPE

## Lighting Facts™

LED Product

<b>Light Output (Lumens)</b>	1045
<b>Watts</b>	22
<b>Lumens per Watt (Efficacy)</b>	48
<b>Color Accuracy</b> Color Rendering Index (CRI)	72


**Light Color**  
Correlated Color Temperature (CCT) **6207 (Daylight)**

2600K    3200K    4500K    6500K

Visit [www.lighting-facts.com](http://www.lighting-facts.com) for the **Label Reference Guide**.

All results are according to IESNA LM-79-2008: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. WP1-GP-1920-1

### DOE Lighting Facts Label



Illumination (ISO Foot-candles)